

1034123-000167
SEQUENCE LISTING

<110> The Regents of the University of California
Martin, Paul Taylor

<120> AMYLOID-SPECIFIC PEPTIDES AND USES THEREOF

<130> 1034123-000167

<140> US 10/551,619

<141> 2005-09-30

<150> US 60/461,168

<151> 2003-04-07

<150> PCT/US04/10939

<151> 2004-04-07

<160> 33

<170> PatentIn version 3.3

<210> 1

<211> 10

<212> PRT

<213> Artificial sequence

<220>

<223> artificial peptide sequence

<220>

<221> X

<222> (1)..(1)

<223> X = W OR F

<220>

<221> X

<222> (2)..(6)

<223> X = any amino acid having two positively charged residues and no negatively charged residues

<220>

<221> X

<222> (7)..(7)

<223> X = W OR F

<220>

<221> X

<222> (8)..(9)

<223> X = Any amino acid

<220>

<221> X

<222> (10)..(10)

<223> X = W OR F

<400> 1

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

1034123-000167

<210> 2
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 2

Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser Gly
1 5 10 15

Lys Thr Glu Ala
20

<210> 3
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 3

Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu Phe
1 5 10 15

Ser Gln Asp Gln
20

<210> 4
<211> 26
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 4

Ala Glu Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly
1 5 10 15

Ala Ser Gly Lys Thr Glu Ala Cys Gly Pro
20 25

<210> 5
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 5

1034123-000167

Cys Asp Trp Gly Lys Gly Gly Arg Trp Arg Leu Trp Pro Gly Ala Ser
1 5 10 15

Gly Lys Thr Glu Ala Cys
20

<210> 6
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 6

Cys Pro Gly Arg Ser Pro Phe Thr Gly Lys Lys Leu Phe Asn Gln Glu
1 5 10 15

Phe Ser Gln Asp Gln Cys
20

<210> 7
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 7

Leu Gly Ser Gly Arg Ile Gly Asp Gly Trp Ser Asp Gly Gly Leu Ala
1 5 10 15

Arg Arg Leu Lys
20

<210> 8
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 8

Asp Gly Gly Gly Gly Ala Gly Arg Trp Thr Thr Lys Asp Arg Ser Ala
1 5 10 15

Ala Lys Thr Glu
20

1034123-000167

<210> 9
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 9

Val Asp Asp Gly Ala Gln Gly Lys Arg Trp Gly Gly Met Gly Leu Gly
1 5 10 15

Lys Gly Arg Arg
20

<210> 10
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 10

Ser Gly Ser Gly Val Gly Leu Arg Met Ala Ser Gln Arg His Glu Gly
1 5 10 15

Arg Lys Val Tyr
20

<210> 11
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 11

Gln Leu Pro Gln Asn Gly Gly Pro Ala Trp Phe Thr Arg Lys Ala Gly
1 5 10 15

Gln Gly Gly Arg
20

<210> 12
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 12

1034123-000167

Leu Gly Tyr Ala Gly Gly Gly Gln Gly Met Val Glu Gly Ser Phe Trp
1 5 10 15

Pro Thr Ser Trp
20

<210> 13
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 13

Gly Leu Arg Gly Met Glu Gly Arg Gly Tyr Pro Lys Asp Arg Arg Asp
1 5 10 15

Arg Asn Leu Glu
20

<210> 14
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 14

Leu Ile Gly Gly Asn Lys Ala Gly Arg Gly Ala Trp Gly Val Val Ala
1 5 10 15

Ser Ser Gly Arg
20

<210> 15
<211> 20
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 15

Glu Leu Glu Ser Arg Gly Gly Leu Gly Tyr Ala Trp Arg Gly Ser Ala
1 5 10 15

Ser Thr Met Asp
20

<210> 16
 <211> 20
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Artificial peptide sequence

<400> 16

Lys Gly Glu Thr Gly Asn Gly Gly Arg Ala Lys Ala Gly Thr Val Asp
 1 5 10 15

Leu Ile Arg Arg
 20

<210> 17
 <211> 33
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Artificial peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = any amino acid with at least one cysteine residue having the
 formula (Xaa)_n, where Xaa is any amino acid and n is an integer
 from 1 to 20

<220>
 <221> X
 <222> (2)..(2)
 <223> X = W or F

<220>
 <221> X
 <222> (3)..(17)
 <223> X = any positively charged amino acid

<220>
 <221> X
 <222> (18)..(18)
 <223> X = W or F

<220>
 <221> X
 <222> (19)..(31)
 <223> X = any amino acid

<220>
 <221> X
 <222> (32)..(32)
 <223> X = W or F

<220>
 <221> X
 <222> (33)..(33)
 <223> X = any amino acid with at least one cysteine residue having the

1034123-000167

formula (Xaa)_n, where Xaa is any amino acid and n is an integer
from 1 to 20

<400> 17

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa

<210> 18

<211> 32

<212> PRT

<213> Artificial sequence

<220>

<223> Artificial peptide sequence

<220>

<221> X

<222> (1)..(1)

<223> X = any amino acid with at least one cysteine residue having the
formula (Xaa)_n, where Xaa is any amino acid and n is an integer
from 1 to 20

<220>

<221> X

<222> (2)..(2)

<223> X = W or F

<220>

<221> X

<222> (3)..(17)

<223> X = any positively charged amino acid

<220>

<221> X

<222> (18)..(18)

<223> X = W or F

<220>

<221> X

<222> (19)..(31)

<223> X = any amino acid

<220>

<221> X

<222> (32)..(32)

<223> X = W or F

<400> 18

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

1034123-000167

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 19
<211> 32
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = Any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(30)
<223> X = any amino acid

<220>
<221> X
<222> (31)..(31)
<223> X = W or F

<220>
<221> X
<222> (32)..(32)
<223> X = any amino acid with at least one cysteine residue having the
formula (Xaa)_n, where Xaa is any amino acid and n is an integer
from 1 to 20

<400> 19

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 20
<211> 31
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W or F

<220>
 <221> X
 <222> (2)..(16)
 <223> X = Any positively charged amino acid

<220>
 <221> X
 <222> (17)..(17)
 <223> X = W or F

<220>
 <221> X
 <222> (18)..(30)
 <223> X = any amino acid

<220>
 <221> X
 <222> (31)..(31)
 <223> X = W or F

<400> 20

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 20 25 30

<210> 21
 <211> 41
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Artificial peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = any amino acid with at least one cysteine residue having the
 formula (Xaa)_n, where Xaa is any amino acid and n is an integer
 from 1 to 20

<220>
 <221> X
 <222> (2)..(2)
 <223> X = W or F

<220>
 <221> X
 <222> (3)..(17)
 <223> X = Any positively charged amino acid

<220>
 <221> X
 <222> (18)..(18)
 <223> X = W or F

<220>
 <221> X
 <222> (19)..(39)
 <223> X = any amino acid

<220>
 <221> X
 <222> (40)..(40)
 <223> X = W or F

<220>
 <221> X
 <222> (41)..(41)
 <223> X = any amino acid with at least one cysteine residue having the formula (Xaa)_n, where Xaa is any amino acid and n is an integer from 1 to 20

<400> 21

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 35 40

<210> 22
 <211> 40
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Artificial peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = any amino acid with at least one cysteine residue having the formula (Xaa)_n, where Xaa is any amino acid and n is an integer from 1 to 20

<220>
 <221> X
 <222> (2)..(2)
 <223> X = W or F

<220>
 <221> X
 <222> (3)..(17)
 <223> X = any positively charged amino acid

<220>

<221> X
 <222> (18)..(18)
 <223> X = W or F

<220>
 <221> X
 <222> (19)..(39)
 <223> X = any amino acid

<220>
 <221> X
 <222> (40)..(40)
 <223> X = W or F

<400> 22

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 35 40

<210> 23
 <211> 40
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Artificial peptide sequence

<220>
 <221> X
 <222> (1)..(1)
 <223> X = W or F

<220>
 <221> X
 <222> (2)..(16)
 <223> X = any positively charged amino acid

<220>
 <221> X
 <222> (17)..(17)
 <223> X = W or F

<220>
 <221> X
 <222> (18)..(38)
 <223> X = any amino acid

<220>
 <221> X
 <222> (39)..(39)
 <223> X = W or F

<220>

1034123-000167

<221> X
<222> (40)..(40)
<223> X = any amino acid with at least one cysteine residue having the formula (Xaa)n, where Xaa is any amino acid and n is an integer from 1 to 20

<400> 23

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35 40

<210> 24
<211> 39
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<220>
<221> X
<222> (1)..(1)
<223> X = W or F

<220>
<221> X
<222> (2)..(16)
<223> X = any positively charged amino acid

<220>
<221> X
<222> (17)..(17)
<223> X = W or F

<220>
<221> X
<222> (18)..(38)
<223> X = any amino acid

<220>
<221> X
<222> (39)..(39)
<223> X = W or F

<400> 24

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35

<210> 25
<211> 5
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 25

Ser Arg Lys Asn Gln
1 5

<210> 26
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 26

His Cys Ser Gln Asn Glu Asp Gly Ala
1 5

<210> 27
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 27

Tyr Ser Thr Thr Ser Trp Tyr Tyr Trp
1 5

<210> 28
<211> 40
<212> PRT
<213> Artificial sequence

<220>
<223> Artificial peptide sequence

<400> 28

Asp Ala Glu Phe Lys His Asp Ser Gly Thr Glu Val His His Gln Lys
1 5 10 15

Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys Gly Ala Ile Ile
20 25 30

Gly Leu Met Val Gly Gly Val Val
 35 40

<210> 29
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> primer

<400> 29
 gtttgtcgtc tttccagacg 20

<210> 30
 <211> 105
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Artificial nucleotide cloning sequence

<400> 30
 cggggtacct gcagaatgcg attgggggaa ggggggtcgg tggcggttgt ggccgggtgc 60
 gtcggggaag acggaggcgt gcggcccgcc gtattagtct agagc 105

<210> 31
 <211> 105
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Artificial nucleotide cloning sequence

<400> 31
 gctctagact aatacggcgg gccgcacgcc tccgtcttcc ccgacgcacc cggccacaac 60
 cgccaccgac ccccttccc ccaatcgcat tctgcaggta ccccg 105

<210> 32
 <211> 5
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Artificial peptide sequence

<400> 32
 Cys Gly Pro Pro Tyr
 1 5

<210> 33
 <211> 11
 <212> PRT

<213> Artificial sequence

<220>

<223> Artificial peptide sequence

<220>

<221> X

<222> (1)..(1)

<223> X = W or F

<220>

<221> X

<222> (2)..(6)

<223> X = any positively charged amino acid

<220>

<221> X

<222> (7)..(7)

<223> X = W or F

<220>

<221> X

<222> (8)..(10)

<223> X = any amino acid

<220>

<221> X

<222> (11)..(11)

<223> X = W or F

<400> 33

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10